











1) [40 pts] Show the expected major product for the following reactions:



- 2) [40 pts] Show the starting materials or reagents necessary to carry out the following transformations:




3) [20 pts] Fill in reagents or products as appropriate:



4) [40pts] What reagents would you use to bring about the following functional group conversions:


a) alcohol to carboxylic acid



b) epoxide to diol



c) alcohol to ketone



d) primary alcohol to aldehyde



e) ester to alcohol




f) alkene to diol




g) alkyne to alkane



h) terminal alkyne to aldehyde




- 5) [20pts] Write the number of types of different protons and types of different carbons below each structure:



Different protons	3	2	1	1
-------------------	---	---	---	---

Different carbons	5	2	2	1
-------------------	---	---	---	---

- 6) [10pts] Sketch the expected proton NMR spectrum for




- 7) [10pts] Provide structures for the following based on the provided proton NMR data:

a)  $C_6H_{10}O_2$   $\delta$  2.2 singlet,  $\delta$  2.7 singlet



b)  $C_8H_{18}$   $\delta$  0.9 singlet



# CHM 3343

# Exam 2

TUD Department of Chemistry

Spring 2017

Page 6 of 6

8) [10pts] Describe simple chemical tests to distinguish between the following compounds:

	3-octanone	1-octanol	n-octane	cyclooctene	t-butanol	octanoic acid
$H_2O$ sol	⊙	⊙	⊙	⊙	+	⊙
$Br_2/CCl_4$	⊙	⊙	⊙	+	⊙	⊙
$HCO_3^-$ bubbles	⊙	⊙	⊙	⊙	⊙	+
$Cr_2O_7^{2-}$ yel → orn	⊙	+	⊙			
$H_2SO_4$ sol	+		⊙			

9) [10pts] Starting with cyclopentyl bromide and anything else you need, show how you would synthesize:

